



## Metric V-Belts

Heat-, ozone-, and flame-resistant V-belts help transfer motion between pulleys with metric cross sections. They are wrapped with a material for greater wear and oil resistance. Single V-belts can be used alone or together in wide metric belt drives that hold multiple V-belts. Suitable for use in industrial applications such as textile mills, machine applications, and food processing plants. Manufactured to tolerances set by the ARPM (Association of Rubber Products Manufacturers).



Industry No.	Outside L	Brand	Item No.
<b>SPZ (10mm Top Width by 8mm Thick)</b>			
SPZXLG1250	1,250 mm	Chicago Pneumatic	40JE31
<b>SPA (14mm Top Width by 10mm Thick)</b>			
SPA3150	3,184 mm	Gates	1NKJ5
SPA3350	3,384 mm	Gates	1NKF8
SPA3550	3,584 mm	Gates	1NKJ2
SPA3750	3,784 mm	Gates	1NKH3
SPA4000	4,034 mm	Gates	1NKD6

Industry No.	Outside L	Brand	Item No.
<b>SPB (17mm Top Width by 14mm Thick)</b>			
SPB3150	3,174 mm	Gates	1NJW2
SPB3350	3,374 mm	Gates	1NJU3
SPB3550	3,574 mm	Gates	1NJY7
SPB3750	3,774 mm	Gates	1NJN9
SPB3800	3,824 mm	Gates	1NKJ1
SPB4000	4,024 mm	Gates	1NJW7
SPB4250	4,274 mm	Gates	1NJY6
SPB4500	4,524 mm	Gates	1NKC5
SPB4750	4,774 mm	Gates	1NKG8
SPB5300	5,324 mm	Gates	1NJY3
SPB5600	5,624 mm	Gates	1NKD9
SPB6000	6,024 mm	Gates	1NKG9
SPB6300	6,324 mm	Gates	1NKJ8
SPB6700	6,724 mm	Gates	1NKK1
SPB7100	7,124 mm	Gates	1NKH7
SPB7500	7,524 mm	Gates	1NKK3
SPB8000	8,024 mm	Gates	1NKJ6

Industry No.	Outside L	Brand	Item No.
<b>SPC (22mm Top Width by 18mm Thick)</b>			
SPC7500	7,546 mm	Gates	1NJT8
<b>SPC (23mm Top Width by 18mm Thick)</b>			
SPC3350	3,396 mm	Gates	1NJY5
SPC3550	3,596 mm	Gates	1NJX5
SPC3750	3,796 mm	Gates	1NKC9
SPC4000	4,046 mm	Gates	1NJU5
SPC4250	4,296 mm	Gates	1NJX4
SPC4750	4,796 mm	Gates	1NJW6
SPC5000	5,046 mm	Gates	1NJZ2
SPC5300	5,346 mm	Gates	1NKJ7
SPC5600	5,646 mm	Gates	1NJZ7
SPC6000	6,046 mm	Gates	1NJW3
SPC6700	6,746 mm	Gates	1NKH7
SPC8000	8,046 mm	Gates	1NKE7
SPC8500	8,546 mm	Gates	1NKG5



## Metric Raw-Edge Cogged V-Belts

Run cooler than standard V-belts, have metric dimensions, and mount to metric pulleys to transmit power between rotational shafts. They are useful for small-diameter pulleys and drives with twists and turns. Single V-belts can be used alone or together in wide metric belt drives that hold multiple V-belts. Suitable for industrial applications such as textile mills, machine applications, and food processing, where metric cross sections are required. Manufactured to tolerances set by the ARPM (Association of Rubber Products Manufacturers). SPA, SPB, SPC, and XPC section belts are available on Grainger.com.



Industry No.	Outside L	Brand	Item No.
<b>XPZ (10mm Top Width by 8mm Thick)</b>			
XPZ787	802 mm	Gates	1NJU4
XPZ850	866 mm	Gates	1NKB4
XPZ862	877 mm	Gates	1NKG6
XPZ925	936 mm	Gates	1NJZ4
XPZ950	967 mm	Gates	1NJP8
XPZ987	1,001 mm	Gates	1NJK3
XPZ1012	1,031 mm	Gates	1NJV5
XPZ1060	1,072 mm	Gates	1NJW6
XPZ1087	1,095 mm	Gates	1NKE5
XPZ1120	1,143 mm	Gates	1NJV8
XPZ1137	1,150 mm	Gates	1NJY1
XPZ1150	1,166 mm	Gates	1NKC8
XPZ1180	1,194 mm	Gates	1NJR4
XPZ1202	1,220 mm	Gates	1NKB5
XPZ1212	1,222 mm	Gates	1NJY8
XPZ1250	1,270 mm	Gates	1NKA8
XPZ1270	1,285 mm	Gates	1NKA2
XPZ1287	1,302 mm	Gates	1NKG3
XPZ1312	1,324 mm	Gates	1NJR3
XPZ1320	1,324 mm	Gates	1NJK8
XPZ1340	1,362 mm	Gates	1NKE4
XPZ1400	1,415 mm	Gates	1NJT3
XPZ1450	1,463 mm	Gates	1NKC6
XPZ1500	1,523 mm	Gates	1NKD5
XPZ1512	1,527 mm	Gates	1NKC3
XPZ1562	1,574 mm	Gates	1NJY4
XPZ1587	1,599 mm	Gates	1NKA6
XPZ1700	1,714 mm	Gates	1NJP5
XPZ1750	1,761 mm	Gates	1NKE2
XPZ1800	1,817 mm	Gates	1NJZ3
XPZ1900	1,914 mm	Gates	1NJU2
XPZ1950	1,955 mm	Gates	1NJR9
XPZ2000	2,016 mm	Gates	1NJT2
XPZ2120	2,141 mm	Gates	1NJT9
XPZ2240	2,261 mm	Gates	1NKB1
XPZ2500	2,516 mm	Gates	1NKG7

Industry No.	Outside L	Brand	Item No.
<b>XPA (12mm Top Width by 9mm Thick)</b>			
XPA1000	1,023 mm	Gates	1NJV4
XPA1032	1,046 mm	Gates	1NJW7
XPA1060	1,074 mm	Gates	1NKN8
XPA1120	1,147 mm	Gates	1NJV2
XPA1150	1,173 mm	Gates	1NJV5
XPA1157	1,176 mm	Gates	1NKA4
XPA1180	1,204 mm	Gates	1NKA4
XPA1207	1,227 mm	Gates	1NJZ5
XPA1232	1,255 mm	Gates	1NJZ6
XPA1250	1,275 mm	Gates	1NJV9
XPA1307	1,329 mm	Gates	1NJW8
XPA1320	1,339 mm	Gates	1NKC1
XPA1357	1,380 mm	Gates	1NKB2
XPA1400	1,423 mm	Gates	1NJU1
XPA1432	1,458 mm	Gates	1NJU9
XPA1457	1,484 mm	Gates	1NJW1
XPA1500	1,529 mm	Gates	1NJV3
XPA1532	1,550 mm	Gates	1NKA1
XPA1550	1,570 mm	Gates	1NKF7
XPA1600	1,619 mm	Gates	1NJT4
XPA1632	1,656 mm	Gates	1NKN7
XPA1700	1,721 mm	Gates	1NJR6
XPA1732	1,764 mm	Gates	1NKF4
XPA1757	1,779 mm	Gates	1NKG2
XPA1800	1,821 mm	Gates	1NJR7
XPA1832	1,842 mm	Gates	1NJU7
XPA1857	1,878 mm	Gates	1NKG1
XPA1900	1,917 mm	Gates	1NJT5
XPA1950	1,976 mm	Gates	1NKH1
XPA2000	2,020 mm	Gates	1NJU6
XPA2120	2,146 mm	Gates	1NJT7
XPA2182	2,197 mm	Gates	1NKB9
XPA2240	2,267 mm	Gates	1NKC7
XPA2300	2,318 mm	Gates	1NKB3
XPA2360	2,375 mm	Gates	1NJP3
XPA2382	2,403 mm	Gates	1NKK2
XPA2650	2,680 mm	Gates	1NJK9
XPA2682	2,706 mm	Gates	1NKE1
XPA2800	2,828 mm	Gates	1NJK9

Industry No.	Outside L	Brand	Item No.
<b>XPA (13mm Top Width by 9mm Thick)</b>			
XPALP932	937 mm	Chicago Pneumatic	40JE71
XPA950	950 mm	Chicago Pneumatic	40JE59
XPALP1000	1,000 mm	Chicago Pneumatic	40JE86
XPALP1030	1,032 mm	Chicago Pneumatic	40JE35
XPA1632	1,632 mm	Chicago Pneumatic	40JE23
<b>XPA (13mm Top Width by 10mm Thick)</b>			
XPALP1282	1,287 mm	Chicago Pneumatic	40JE49
XPALP1340	1,340 mm	Chicago Pneumatic	40JE51
<b>XPB (16mm Top Width by 13mm Thick)</b>			
XPB1250	1,275 mm	Gates	1NJZ8
XPB1320	1,340 mm	Gates	1NKF9
XPB1340	1,356 mm	Gates	1NKH9
XPB1400	1,411 mm	Gates	1NKN9
XPB1500	1,530 mm	Gates	1NJU8
XPB1590	1,611 mm	Gates	1NJZ1
XPB1627	1,657 mm	Gates	1NKN9
XPB1700	1,721 mm	Gates	1NJP6
XPB1800	1,823 mm	Gates	1NJR2
XPB1900	1,921 mm	Gates	1NJR5
XPB2000	2,022 mm	Gates	1NJT6
XPB2020	2,048 mm	Gates	1NKD1
XPB2120	2,147 mm	Gates	1NJR1
XPB2150	2,176 mm	Gates	1NKB6
XPB2180	2,199 mm	Gates	1NKF5
XPB2240	2,267 mm	Gates	1NJP9
XPB2280	2,303 mm	Gates	1NKG4
XPB2360	2,370 mm	Gates	1NJP4
XPB2410	2,437 mm	Gates	1NJK1
XPB2500	2,522 mm	Gates	1NJP2
XPB2530	2,551 mm	Gates	1NKA7
XPB2650	2,678 mm	Gates	1NJP1
XPB2680	2,710 mm	Gates	1NKD2
XPB2800	2,821 mm	Gates	1NJP7
XPB3000	3,015 mm	Gates	1NJR8
<b>XPB (16mm Top Width by 14mm Thick)</b>			
XPB1900	1,900 mm	Chicago Pneumatic	40JE77
<b>XPC (21mm Top Width by 13mm Thick)</b>			
XPC2360	2,365 mm	Gates	1NKD7
XPC2650	2,695 mm	Gates	1NJK9
XPC2800	2,833 mm	Gates	1NJK4