



1UFG8



2KJH8



3PAL6



5GVY1



5GVT8



1UFH1



5GVU6



Confined-Space Fans, Blowers, and Accessories

Designed for positive and negative ventilation.

Plastic Axial Fans—Lightweight and quiet. Constructed of durable polyethylene with a built-in handle. Fans that include a canister assembly attach to the intake or exhaust side of a blower. Fans with explosionproof motors meet Class I, Div. I and II, Groups C & D and Class II, Div. I and II, Groups F & G. Fans with DC motor include power cord with battery clips.

Steel Axial Fans—Steel construction with handle for easy transport. 4UDK1, 3PAK4, and 3PAK5 meet Class I, Div. I and II, Groups C & D and Class II, Div. I and II, Groups F & G. 32MZ58 meets Class I, Div. I and II, Groups B, C, & D and Class II, Div. I and II, Groups F & G.

Steel Axial Fan Air Bags—All-in-one portable axial fan system built into a heavy-duty polyester bag. Zippered ends allow blower to be used without removing unit from the bag.

Plastic Centrifugal Blowers—Polyethylene construction with a built-in handle and 8" flange on intake and exhaust ports. 5GVU5 and 5GVU6 are UL Recognized, CSA Certified.

Ducting—Retractable with wire-reinforced design. Cuffs on both sides ease attachment. Conductive ducting prevents static buildup in hazardous locations.

Manhole Ventilation Systems—Low-profile manhole air vent, 90° elbow, and built-in mounting all in 1 unit. Include collapsible duct for easy entry, stored in a small storage bag. Ducting is vinyl and polyester with PVC coating. Systems are compact, lightweight, and not statically conductive. Made from linear low-density polyethylene.

Confined-Space Accessories—Individual components to help design a system to address specific needs.

Description	Duct Dia.	HP	Max. Flow in Free Air	Mfr. Model	Item No.
Plastic Axial Fans					
115VAC	8 in	1/8 hp	831 cfm	9533	1UFG4
115VAC w/Canister and 15 ft. Ducting	8 in	1/8 hp	831 cfm	9533-15	1UFG5
115VAC w/Canister and 25 ft. Ducting	8 in	1/8 hp	831 cfm	9533-25	1UFG6
115VAC Explosionproof	8 in	1/8 hp	900 cfm	9538	3PAK1
115VAC Explosionproof w/Canister and 15 ft. Ducting	8 in	1/8 hp	900 cfm	9538-15	3PAK2
115VAC Explosionproof w/Canister and 25 ft. Ducting	8 in	1/8 hp	900 cfm	9538-25	3PAK3
12VDC	8 in	1/4 hp	816 cfm	9536	1UFG7
12VDC w/Canister and 15 ft. Ducting	8 in	1/4 hp	816 cfm	9536-15	1UFG8
12VDC w/Canister and 25 ft. Ducting	8 in	1/4 hp	816 cfm	9536-25	1UFG9
110VAC	12 in	1 hp	1,842 cfm	9543	6PTP3
110VAC w/Canister and 15 ft. Ducting	12 in	1 hp	1,842 cfm	9543-15	6PTP4
110VAC w/Canister and 25 ft. Ducting	12 in	1 hp	1,842 cfm	9543-25	6PTP5
115VAC	12 in	1 hp	2,180 cfm	9539-12	5GVX4
12VDC	12 in	1/4 hp	1,450 cfm	9539-12DC	5GVX5
115VAC Explosionproof	12 in	1/8 hp	1,475 cfm	9539-12EX	5GVX6
115VAC	16 in	1 hp	3,200 cfm	9553	32MZ60
115VAC w/Canister and 15 ft. Ducting	16 in	1 hp	3,200 cfm	9553-15	32MZ61
115VAC w/Canister and 25 ft. Ducting	16 in	1 hp	3,200 cfm	9553-25	32MZ62
Steel Axial Fans					
115VAC	8 in	1/8 hp	1,275 cfm	9513	6MKN5
115VAC w/15 ft. Ducting	8 in	1/8 hp	1,275 cfm	9514	5GV77
115VAC w/25 ft. Ducting	8 in	1/8 hp	1,275 cfm	9514-25	5GV78
115VAC Explosionproof	8 in	1/8 hp	890 cfm	9514-06	4UDK1
12VDC w/25 ft. Ducting	8 in	1/4 hp	1,275 cfm	9506-25	5GV79
125VAC Explosionproof	12 in	1/8 hp	1,636 cfm	9509-01	3PAK4
115VAC	16 in	1/2 hp	3,400 cfm	9515	1UFH1
115/230VAC	16 in	2 hp	5,500 cfm	9516	1UFH2
115VAC Explosionproof	16 in	1/2 hp	2,900 cfm	9515-01	3PAK5
115/230VAC Explosionproof	16 in	1 1/2 hp	4,663 cfm	9515-50EX	32MZ58
115VAC	20 in	1/2 hp	4,650 cfm	9525	5GVU7
115/230VAC	20 in	2 hp	7,500 cfm	9525-50	5GVU8
115/230VAC Explosionproof	20 in	1/2 hp	4,650 cfm	9525-01	5GVU9
115/230VAC Explosionproof	20 in	1 1/2 hp	6,468 cfm	9525-50EX	32MZ59
Steel Axial Fan Air Bags					
120VAC 2-Speed w/15 ft. Ducting	8 in	1/4 hp	760 cfm	9535-08	2KJH8
120VAC 2-Speed w/15 ft. Ducting	12 in	1/2 hp	1,840 cfm	9535-12	2KJH9
120VAC 2-Speed w/25 ft. Ducting	12 in	1/2 hp	1,840 cfm	9535-12L	32MZ57
Plastic Centrifugal Blowers					
115VAC	8 in	1/8 hp	1,066 cfm	9504	5GVU5
110VAC	8 in	3/4 hp	1,570 cfm	9504-50	5GVU6
Gasoline w/Subaru Engine	8 in	5.7 hp	1,390 cfm	9505	5GVU4
Air-Driven	8 in	—	1,700 cfm	9508	5GV76

Dia.	L	Mfr. Model	STANDARD Item No.	CONDUCTIVE Item No.	Description	Outlet Size	Mfr. Model	Item No.
Ducting								
8 in	15 ft	9500	3PAL3	3PAK6	Includes Low-Profile Manhole Air Vent, 90° Elbow, and Built-In Mounting	8 in	9510-50	5GVY1
8 in	25 ft	9500	3PAL4	3PAK7		12 in	9510-60	32MZ63
12 in	15 ft	9550	3PAL5	3PAK8		Confined-Space Accessories		
12 in	25 ft	9550	3PAL6	3PAK9	Duct Storage Bag	8 in	9500-45	3NPV8
16 in	15 ft	9600	1UFH3	3PAL1	Duct Storage Canister	12 in, 16 in, 20 in	9600-45	6MKL6
16 in	15 ft	9600	1UFH4	—		8 in	9500-55	6MKL7
20 in	15 ft	9650	5GVX0	5GVX2	Duct-to-Duct Connector	12 in	9550-55	6MKL8
20 in	25 ft	9650	5GVX1	5GVX3		8 in	9500-01	6MKL9
16 in	25 ft	9600	—	3PAL2		12 in	9550-01	6MKN0
Y-Duct Connector						16 in	9600-01	6MKN1
						20 in	9650-01	6MKN2
						8 in	9500-Y	32MZ64
						12 in	9550-Y	32MZ65

Confined-Space Ventilation Kits

Kits include blower, 6 and 15 ft. of ducting with storage bag, and Manhole Ventilation System 5GVY1.

Description	Duct Dia.	HP	Max. Flow in Free Air	Mfr. Model	Item No.
Axial Fan Kits					
Plastic Housing, 115VAC	8 in	1/8 hp	831 cfm	9520-33M	5MWH1
Plastic Housing, 115VAC	12 in	1 hp	1,842 cfm	9520-43M	32MZ76
Plastic Housing, 12VDC	8 in	1/4 hp	816 cfm	9520-36M	5MWH0
Plastic Housing, 12VDC	12 in	1/4 hp	1,330 cfm	9520-46M	32MZ77
Steel Housing, 115VAC	8 in	1/8 hp	1,275 cfm	9520-14M	5MWH3
Steel Housing, 12VDC	8 in	1/4 hp	1,150 cfm	9520-06M	5MWH2
Plastic Centrifugal Blower Kits					
115VAC	8 in	1/8 hp	1,066 cfm	9520-04M	5GVU0
115VAC	8 in	3/4 hp	1,570 cfm	9520-50M	5GVU1
115VAC Explosionproof	8 in	3/4 hp	1,570 cfm	9520-03M	5GVU2
Gasoline w/Subaru Engine	8 in	5.7 hp	1,390 cfm	9520-05M	5GVU3



5GVU0