

1-800-GRAINGER (472-4643)

CONTINUED

Corded Core Drill Rigs and Motors

Core Dia.	Maximum Drilling Depth	Overall Length	Primary Material Application	Shank Thread Size	Item No.
Diamond-Tipped Core Bits for Dry Coring					
Diamond Vantage					
2"	10 in	10 in	Concrete	5/8"-11	21UN51
2 1/2"	10 in	10 in	Concrete	5/8"-11	21UN53
3"	10 in	10 in	Cinder Block, Brick, Concrete, Masonry	5/8"-11	21UN54
4"	10 in	10 in	Concrete	5/8"-11	21UN56
Husqvarna					
2 1/2"	10 in	10 in	Cinder Block, Brick	1 1/4"-7	483U56
3"	10 in	10 in	Cinder Block, Brick	1 1/4"-7	483U57
Milwaukee					
2"	10 in	10 in	Cinder Block, Brick, Masonry	5/8"-11	45KN34
2"	13 in	15 3/4 in	Cinder Block, Brick, Concrete	1 1/4"-7	56FK65
3"	10 in	10 in	Cinder Block, Brick, Masonry	5/8"-11	45KN36
3"	13 in	15 3/4 in	Cinder Block, Brick, Concrete	1 1/4"-7	56FK67
4"	10 in	10 in	Cinder Block, Brick, Masonry	5/8"-11	45KN38
4"	13 in	15 3/4 in	Cinder Block, Brick, Concrete	1 1/4"-7	56FK69
Diamond-Tipped Core Bits for Wet Coring					
Diamond Vantage					
1 1/8"	14 in	14 in	Concrete	5/8"-11	21UN18
1 1/4"	14 in	14 in	Concrete	1 1/4"-7	21UN20
2 1/2"	14 in	14 in	Concrete	1 1/4"-7	21UN26
3"	14 in	14 in	Concrete	1 1/4"-7	21UN28
5"	14 in	14 in	Concrete	1 1/4"-7	21UN34
6"	14 in	14 in	Concrete	1 1/4"-7	21UN36
6 1/4"	14 in	14 in	Concrete	1 1/4"-7	21UN37
8"	14 in	14 in	Concrete	1 1/4"-7	21UN40



Core Dia.	Maximum Drilling Depth	Overall Length	Primary Material Application	Shank Thread Size	Item No.
Husqvarna					
1 1/2"	14 in	14 in	Concrete, Brick	5/8"-11	2LDX6
2"	14 in	14 in	Concrete, Brick	1 1/4"-7	2LDX7
3"	14 in	14 in	Concrete, Brick	1 1/4"-7	2LDX9
4"	14 in	14 in	Concrete, Brick	1 1/4"-7	2LDY2
5"	14 in	14 in	Concrete, Brick	1 1/4"-7	2LDY4
6"	14 in	14 in	Concrete, Brick	1 1/4"-7	2LDY6
8"	14 in	14 in	Concrete, Brick	1 1/4"-7	2LDY7
10"	14 in	14 in	Concrete, Brick	1 1/4"-7	2LDY9
Milwaukee					
7/8"	15 in	15 in	Concrete, Steel	5/8"-11	45KN73
2"	15 in	15 in	Concrete, Steel	1 1/4"-7	45KN77
2"	15 in	15 in	Concrete, Rebar, Mesh	1 1/4"-7	45KN63
2 1/2"	15 in	15 in	Concrete, Rebar, Mesh	1 1/4"-7	45KN64
3"	15 in	15 in	Concrete, Steel	1 1/4"-7	45KN80
3"	15 in	15 in	Concrete, Rebar, Mesh	1 1/4"-7	45KN65
3"	16 in	18 5/8 in	Concrete, Rebar	1 1/4"-7	56FK79
4"	15 in	15 in	Concrete, Rebar, Mesh	1 1/4"-7	45KN67
4"	16 in	18 5/8 in	Concrete, Rebar	1 1/4"-7	56FK81
5"	15 in	15 in	Concrete, Rebar, Mesh	1 1/4"-7	45KN70
6"	15 in	15 in	Concrete, Rebar, Mesh	1 1/4"-7	45KN71
6"	15 in	15 in	Concrete	1 1/4"-7	45KN51
8"	15 in	15 in	Concrete, Steel	1 1/4"-7	45KN88
10"	15 in	15 in	Concrete, Steel	1 1/4"-7	45KN89



Tile Saws

Water lubricates the blade and tile during cutting to reduce airborne dust and particles.



QEP 48Z886



DeWalt 4YY94

Blade Dia.	Max. Cutting Depth	Max. Cut Length	Arbor Size	Max. Blade Speed	Voltage	Current	Includes	Brand	Item No.
7 in	1 3/4 in	—	5/8 in	3,600 RPM	120V AC	4.8 A	Blade, Manual, Miter Guide, Rip Guide	QEP	48Z886
7 in	2 in	—	—	—	120	7.4 A	Rip Guide, Water Pump	MK Diamond Products	55EC68
10 in	3 in	20 in	5/8 in	3,450	120	12.6 A	Rip Guide, Water Pump	MK Diamond Products	55EC69
10 in	3 1/2 in	28 in	5/8 in	4,200 RPM	120V AC	15 A	Removable Thermoplastic Water Reservoir, 10 in Diamond Blade, Water Pump Assembly, 45° and 90° Rip Guides	DeWalt	4YY94
10 in	3 1/2 in	24 in	—	—	120	15 A	Protractor, Rip Guide, Submersible Water Pump	MK Diamond Products	55EC70



Masonry Saws

Masonry saws use a diamond saw blade to wet or dry cut stone, brick, cinder block, and concrete. Wet cutting reduces airborne contaminants and keeps the blade cooler, extending blade life. Dry cutting requires a dust collection system to keep dust to a minimum.



Handheld 6FKG8



Benchtop 45RM23

Blade Dia.	Cutting Type	Max. Cutting Depth	Miter Angle Range	Arbor Size	Voltage	Current	Horsepower	Includes	Brand	Item No.
Handheld										
4 3/8 in	Dry	1 3/8 in	—	3/4 in	120V AC	15 A	—	Socket Wrench, Spanner Wrench, (2) 4 in Diamond Blade Turbo	Makita	45PC96
4 3/8 in	Wet/Dry	3 1/2 in	—	20 mm	120V AC	10.8 A	—	12 ft Water Line and Regulator, Diamond Blade, (2) Wrenches for Blade Change, Instruction Manual	DeWalt	6FKG8
5 in	Wet	1 1/2 in	—	7/8 in	120V AC	12 A	—	Side Handle	Flex North America	53GK18
14 in	Dry	9 3/4 in	—	1 in	120V AC	15 A	—	Wrench	Makita	14G991
14 in	Dry	9 3/4 in	—	1 in	120V AC	15 A	—	14 in Diamond Blade Sgmt Gen/Purp	Makita	45PC97
Benchtop										
14 in	Wet	5 in	45°	1 in	115/230V AC	14.0 A	1.5	Blade	Husqvarna	45RM23
14 in	Wet	5 in	45°	1 in	115/230V AC	14.0 A	2	Blade	Husqvarna	45RM24
14 in	Wet	5 in	45°	1 in	115V AC	14.0 A	1.5	Blade	Husqvarna	45RM22
14 in	Wet	5 in	45°	1 in	230V AC	14.0 A	3	Blade	Husqvarna	45RM25

SKIL® Flooring Saw

- 120VAC, 7A
- 1 HP
- 11,000 RPM

Circular saw blades to make straight, rip, and angled cuts in wood and laminate flooring. Adjustable stops to cut miters.



Blade Dia.	Cutting Type	Max. Cutting Depth	Miter Angle Range	Arbor Size	Item No.
4 3/8 in	Dry	3/4 in	0°-22°-45°	3/4 in	19M485



Cordless Handheld Concrete Saws

- Wet/Dry
- 9" Blade Dia.
- 3 1/4" Max. cutting depth
- 7/8" Arbor

Cordless handheld concrete saws are battery-operated tools used to cut masonry, stone, and reinforced concrete. They can be used vertically, making them a good choice for demolition and cutting through walls and automobile and infrastructure wreckage.



Bare Tool 453U31

Battery Series	Cordless Tool Kit Contents	Item No.
60V MAX FLEXVOLT	(1) Bare Tool	453U31
	(1) Bare Tool, (1) Charger, (2) Batteries	453U30